

## Here to manage eye care

### Use this resource to help care for your eyes while on treatment

### What is ELAHERE?

ELAHERE is a prescription medicine used to treat adults with folate receptor-alpha positive ovarian cancer, fallopian tube cancer, or primary peritoneal cancer who:

- have not responded to or are no longer responding to treatment with platinum-based chemotherapy **and**
- have received 1 to 3 prior types of chemotherapy.

Your healthcare provider will perform a test to make sure that ELAHERE is right for you.

It is not known if ELAHERE is safe and effective in children.



Patient portrayal.

### **IMPORTANT SAFETY INFORMATION**

### What is the most important information I should know about ELAHERE? ELAHERE can cause serious side effects, including:

**Eye problems.** Eye problems are common with ELAHERE and can also be severe. Tell your healthcare provider right away if you develop any eye problems during treatment with ELAHERE, including blurred vision, dry eyes, sensitivity to light, eye pain, eye redness, or new or worsening vision changes. **Continue reading information about eye problems on <u>page 2</u>.** 



Use this brochure to learn more about how to help manage any eye-related side effects during treatment with ELAHERE.

Starting treatment3
Managing eye-related side effects 5
Caring for your eyes7
Talking to your doctor about eye care 9



2

### Patient portrayal.

### **IMPORTANT SAFETY INFORMATION (CONT'D)**


- Your healthcare provider will send you to see an eye care professional to check your eyes before you start treatment with ELAHERE, during treatment with ELAHERE, and as needed for any worsening signs and symptoms of eye problems.
- Your healthcare provider will prescribe steroid eye drops and lubricating eye drops before you start and during your treatment with ELAHERE. You should use eye drops as directed by your healthcare provider.
- Do not wear contact lenses throughout your treatment with ELAHERE unless you are told to use them by your healthcare provider.



### STARTING TREATMENT

## How could ELAHERE affect my eyes?

People treated with ELAHERE can develop eye-related side effects, which are common and can be severe. These may include blurred vision, dry eyes, sensitivity to light, eye pain, eye redness, new or worsening vision changes, temporary changes to the surface of the eye, or cataract. **Tell your doctor if you have a history of vision or eye problems, or if you experience any of the above eye problems during treatment.** 



### **IMPORTANT SAFETY INFORMATION (CONT'D)**

### What should I tell my healthcare provider before receiving ELAHERE?

### Tell your healthcare provider about all of your medical conditions, including if you:

- have vision or eye problems.
- have numbness or tingling in your hands or feet.
- have liver problems.
- are pregnant or plan to become pregnant. ELAHERE can harm your unborn baby. Tell your healthcare provider right away if you become pregnant or think you may be pregnant during treatment with ELAHERE.



### STARTING TREATMENT

## Starting treatment with eye care

**Before you start treatment,** tell your doctor and eye doctor about any eye problems you may have. Your doctor will also have you meet with an eye doctor before your first infusion and periodically throughout your treatment.



You will visit an eye doctor for a baseline eye exam. You will then have follow-up eye exams throughout your treatment on ELAHERE, about every 6 weeks during the first 8 cycles of treatment.

This will help your healthcare team keep track of any potential changes to your vision or eyes during treatment.

Your doctor will prescribe 2 different types of eye drops to use before and during treatment with ELAHERE:

- Prescription steroid eye drops, filled by a pharmacist
- Preservative-free lubricating eye drops, which can be purchased over the counter

You should use steroid and lubricating drops as directed by your doctor.

### IMPORTANT SAFETY INFORMATION (CONT'D)

### Patients who are able to become pregnant:

- Your healthcare provider should do a pregnancy test before you start treatment with ELAHERE.
- You should use an effective birth control (contraception) during treatment and for 7 months after your last dose of ELAHERE.
- are breastfeeding or plan to breastfeed. It is not known if ELAHERE passes into your breast milk. Do not breastfeed during treatment and for 1 month after your last dose of ELAHERE.



MANAGING EYE-RELATED SIDE EFFECTS

## What if I have eye-related side effects?

### Report any eye changes or problems to your eye doctor

Your eye doctor may be able to help you manage side effects. Some eye-related side effects may include:

- Blurred vision
- Eye redness

- Eye pain
- Vision impairment
- Dry eyes

- Temporary changes to the surface of the eye
- Light sensitivity
- Cataract

## If you experience side effects, your doctors may talk with each other about next steps, such as:

Pausing treatment until your symptoms improve. Once symptoms improve, you may **resume** treatment.

Continuing treatment with ELAHERE at a **reduced** dose. **Discontinuing** treatment depending on how serious the eye-related side effects are.

5

### IMPORTANT SAFETY INFORMATION (CONT'D)

**Tell your healthcare provider about all the medicines you take,** including prescription and over-the-counter medicines, vitamins, and herbal supplements. Taking certain other medicines during treatment with ELAHERE may cause side effects.

### What are the possible side effects of ELAHERE?

### ELAHERE can cause serious side effects, including:

• **Eye problems.** Eye problems are common with ELAHERE and can also be severe. Tell your healthcare provider right away if you develop any eye problems during treatment with ELAHERE, including blurred vision, dry eyes, sensitivity to light, eye pain, eye redness, or new or worsening vision changes.



## "

To manage side effects related to ELAHERE, your doctor could change your dose or delay or stop treatment. In my case, my doctor postponed a couple of my treatments, which helped. I also visit my eye doctor regularly during treatment cycles."

Heidi, a real person prescribed ELAHERE.

### **IMPORTANT SAFETY INFORMATION (CONT'D)**

• Lung problems (pneumonitis). ELAHERE can cause severe or life-threatening inflammation of the lungs that may lead to death. Tell your healthcare provider right away if you get new or worsening symptoms, including trouble breathing, shortness of breath, cough, or chest pain.




CARING FOR YOUR EYES

## How should I use eye drops during treatment?

Your doctor will prescribe steroid eye drops and over-the-counter, lubricating, preservative-free eye drops that you should use as directed before and during treatment with ELAHERE. Unless your doctor tells you otherwise, avoid contact lenses throughout treatment.

Steroid eye drops



### Lubricating eye drops



The use of preservative-free lubricating eye drops is also recommended **at least 4 times daily and as needed during treatment.** Wait at least 10 minutes after applying steroid eye drops before using lubricating eye drops.

### Download the Eye Drop Tracker

Visit **<u>elahere.com/eye-drops</u>** to help track your eye drop use, record notes to share with your doctor, and write down upcoming appointment dates.

### IMPORTANT SAFETY INFORMATION (CONT'D)

• **Peripheral neuropathy.** Nerve problems called peripheral neuropathy are common during treatment with ELAHERE and can also be severe. Your healthcare provider will monitor you for signs and symptoms of nerve problems. Tell your healthcare provider if you get new or worsening numbness, tingling, burning sensation or pain in your hands or feet or muscle weakness.



#### **CARING FOR YOUR EYES**

## Tips to manage blurred vision

You will need to avoid wearing contact lenses during your treatment with ELAHERE, so you may find it helpful to wear glasses. Talk to your eye doctor about eyewear options.



On days when your vision is blurry, you may need to make the text bigger on your devices. Here are some ways to do so (specific examples based on your phone model may vary):

**Computer:** Did you know you can increase the font size on a website you're viewing? For example, if you have a mouse with a wheel, on a PC you can hold the Ctrl key on the keyboard and then scroll the wheel up or away from you to increase text size (scroll down or toward you to decrease text size). Even without a mouse, key commands can do the same thing. Search online for tips specific to your device. **iPhone:** Go to Settings, then Accessibility, then select Display & Text Size. Tap Larger Text for larger font options. Drag the slider to the size you want.

**Android:** Open your device's Settings app. Select Accessibility, then Display size and text. Use the slider to select the font size you want.



### Need reminders to use your eye drops?

There are several mobile apps available to help you and/or your caregiver remember your eye drop schedule. Check them out at your preferred app store.

### **IMPORTANT SAFETY INFORMATION (CONT'D)**

### The most common side effects and abnormal labs of ELAHERE include:

- increased liver enzymes in the blood
- feeling tired
- blurred vision
- nausea
- diarrhea
- stomach-area (abdominal) pain
- changes in the cornea (part of the eye)
- peripheral neuropathy
- muscle, bone, or joint pain

- decreased red or white blood cell counts
- decreased platelets
- decreased magnesium level in the blood
- dry eye
- constipation
- vomiting
- decreased albumin level in the blood

8

decreased appetite



**·7**·

Zocdoc

TALKING TO YOUR DOCTOR ABOUT EYE CARE

## Here to talk about eye care

### See below for some questions to start the conversation with your doctors:

What are the eye-related side effects that can occur with ELAHERE?

Is there any way I can manage eye-related side effects during treatment?

Is there anything I should do to take care of my eyes?

When should I let you know if I experience anything new or unusual with my eyes?

How often should I have an eye exam?

**Question for your eye doctor:** My oncologist is treating me with a drug that can affect my eyes. Would your office be able to work with them to help monitor my eye health during treatment?

Find an eye doctor near you by visiting **<u>zocdoc.com</u>** 

This website is powered by Zocdoc. This is not an endorsement, referral, or recommendation of any eye doctor or medical professional by AbbVie.

### IMPORTANT SAFETY INFORMATION (CONT'D)

Your healthcare provider may change your dose of ELAHERE, delay treatment, or completely stop treatment if you have certain side effects.

These are not all of the possible side effects of ELAHERE. Call your doctor for medical advice about side effects. You are encouraged to report side effects of prescription drugs to the FDA. Visit <u>www.fda.gov/medwatch</u> or call 1-800-FDA-1088.



# Ask your doctor about eye care with **ELAHERE**

Visit <u>elahere.com/eye-care</u> to learn more about eye care during your treatment journey.

### Need support or have questions?

Call 1-833-ELAHERE (1-833-352-4373) Monday to Friday, 8:00 AM to 8:00 PM ET or email <u>ELAHERESupport@cardinalhealth.com</u>

### IMPORTANT SAFETY INFORMATION

### What is the most important information I should know about ELAHERE? ELAHERE can cause serious side effects, including:

**Eye problems.** Eye problems are common with ELAHERE and can also be severe. Tell your healthcare provider right away if you develop any eye problems during treatment with ELAHERE, including blurred vision, dry eyes, sensitivity to light, eye pain, eye redness, or new or worsening vision changes.

- Your healthcare provider will send you to see an eye care professional to check your eyes before you start treatment with ELAHERE, during treatment with ELAHERE, and as needed for any worsening signs and symptoms of eye problems.
- Your healthcare provider will prescribe steroid eye drops and lubricating eye drops before you start and during your treatment with ELAHERE. You should use eye drops as directed by your healthcare provider.
- Do not wear contact lenses throughout your treatment with ELAHERE unless you are told to use them by your healthcare provider.

